

| PGP315 Frame Size | 03 | 05 | 06 | 07 | 08 | 10 | 11 | 12 | 13 | 15 | 16 | 17 | 18 | 20 |
|---|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Displacement – cm ³ /rev (in ³ /rev) | 7.6 (0.47) | 10.2 (0.62) | 12.7 (0.78) | 15.2 (0.93) | 17.8 (1.09) | 20.3 (1.24) | 22.9 (1.40) | 25.4 (1.55) | 27.9 (1.71) | 30.5 (1.86) | 33.0 (2.02) | 35.6 (2.17) | 38.1 (2.33) | 40.6 (2.48) |
| Max continuous pressure – bar (psi) | 241 (3,500) | 241 (3,500) | 241 (3,500) | 241 (3,500) | 241 (3,500) | 241 (3,500) | 241 (3,500) | 241 (3,500) | 241 (3,500) | 228 (3,300) | 214 (3,100) | 200 (2,900) | 186 (2,700) | 172 (2,500) |
| Max Speed – RPM | 3,000 | 3,000 | 3,000 | 3,000 | 3,000 | 3,000 | 3,000 | 3,000 | 3,000 | 3,000 | 3,000 | 3,000 | 3,000 | 3,000 |
| Approximate Weight – Lbs. [kg] | 15.5 [7.0] | 16.0 [7.2] | 16.5 [7.5] | 17 [7.7] | 17.5 [7.9] | 18 [8.2] | 18.5 [8.4] | 19 [8.6] | 19.5 [8.8] | 20 [9.1] | 20.5 [9.3] | 21 [9.5] | 21.5 [9.7] | 22 [10.0] |

| PGP330 Frame Size | 05 | 07 | 10 | 12 | 15 | 17 | 20 |
|---|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Displacement – cm ³ /rev (in ³ /rev) | 16.1 (0.99) | 24.2 (1.48) | 32.3 (1.97) | 40.4 (2.46) | 48.4 (2.96) | 56.5 (3.45) | 64.6 (3.94) |
| Max continuous pressure – bar (psi) | 241 (3,500) | 241 (3,500) | 241 (3,500) | 241 (3,500) | 241 (3,500) | 224 (3,250) | 207 (3,000) |
| Max Speed – RPM | 3,000 | 3,000 | 3,000 | 3,000 | 3,000 | 3,000 | 3,000 |
| Approximate Weight – Lbs. [kg] | 33.6 [15.2] | 34.8 [15.8] | 36 [16.3] | 37.3 [16.9] | 38.5 [17.5] | 40 [18.1] | 41.3 [18.7] |

| PGP350 Frame Size | 05 | 07 | 10 | 12 | 15 | 17 | 20 | 22 | 25 |
|---|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|-----------------|
| Displacement – cm ³ /rev (in ³ /rev) | 20.9 (1.28) | 31.3 (1.91) | 41.8 (2.55) | 52.2 (3.19) | 62.7 (3.83) | 73.1 (4.46) | 83.6 (5.10) | 94.0 (5.74) | 104.5 (6.38) |
| Max continuous pressure – bar (psi) | 241 (3,500) | 241 (3,500) | 241 (3,500) | 241 (3,500) | 241 (3,500) | 224 (3,250) | 207 (3,000) | 190 (2,750) | 172 (2,500) |
| Max Speed – RPM | 2,400 | 2,400 | 2,400 | 2,400 | 2,400 | 2,400 | 2,400 | 2,400 | 2,400 |
| Approximate Weight – Lbs. [kg] | 48 [21.8] | 49.5 [22.4] | 51 [23.1] | 52.5 [23.8] | 54.0 [24.5] | 55.5 [25.2] | 57.0 [25.9] | 58.5 [26.5] | 60.0 [27.2] |

| PGP365 Frame Size | 07 | 10 | 12 | 15 | 17 | 20 | 22 | 25 |
|---|----------------|----------------|----------------|----------------|-----------------|-----------------|-----------------|-----------------|
| Displacement – cm ³ /rev (in ³ /rev) | 44.3 (2.70) | 59.0 (3.60) | 73.8 (4.50) | 88.5 (5.40) | 103.3 (6.30) | 118.0 (7.20) | 132.8 (8.10) | 147.5 (9.00) |
| Max continuous pressure – bar (psi) | 241 (3,500) | 241 (3,500) | 241 (3,500) | 241 (3,500) | 241 (3,500) | 241 (3,500) | 224 (3,250) | 207 (3,000) |
| Max Speed – RPM | 2,400 | 2,400 | 2,400 | 2,400 | 2,400 | 2,400 | 2,400 | 2,400 |
| Approximate Weight – Lbs. [kg] | 53.5 [24.3] | 56 [25.4] | 58.5 [26.5] | 61.0 [27.7] | 63.5 [28.8] | 66.0 [30] | 68.5 [31.1] | 71.0 [32.2] |